

Omo Professional Perfume Free

Revision: 2025-06-14

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Omo Professional Perfume Free

Omo is a registered trade mark and is used under licence of Unilever

UFI: 8HMK-R1DV-8006-JVWW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laundry detergent.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

PC35-Washing and cleaning products

PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Danmark ApS

Frydenlundsvej 30, Bygning H 1. sal, 2950 Vedbæk, Tel: 70 10 41 14

E-mail: ordre.dk@solenis.com

1.4 Emergency telephone number

Kontakt læge eller skadestue - medbring etiket eller dette sikkerhedsdatablad.

Giftlinjen, telefon 82 12 12 12, kan kontaktes i tilfælde af indtagelse eller forgiftning.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Omo Professional Perfume Free

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alcohols, C12-14, ethoxylated, sulphates, sodium salts	500-234-8	68891-38-3	01-211948863 9-16	Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
C12-15 alcohols, ethoxylated (7EO)	500-195-7	68131-39-5	-	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
2-methyl-2H-isothiazol-3-one	220-239-6	2682-20-4	[6]	Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Acute toxicity - Dermal, Category 3 (H311) Skin corrosion, Category 1B (H314) EUH071 Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		< 0.01

Specific concentration limits

2-methyl-2H-isothiazol-3-one:

- Skin sensitisation, Category 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If medical advice is needed, have product container or label at hand.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back

Omo Professional Perfume Free

into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alcohols, C12-14, ethoxylated, sulphates, sodium salts	-	-	-	15
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	0.027

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	-	-	-	2750
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	-	-	-	1650
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alcohols, C12-14, ethoxylated, sulphates, sodium salts	-	-	-	175
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available

Omo Professional Perfume Free

2-methyl-2H-isothiazol-3-one	-	-	-	-
------------------------------	---	---	---	---

DNEL/DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alcohols, C12-14, ethoxylated, sulphates, sodium salts	-	-	-	52
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	0.24	0.024	0.071	10000
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	5.45	0.545	0.946	-
C12-15 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
2-methyl-2H-isothiazol-3-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C		-	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321).
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.5

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Omo Professional Perfume Free

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Light , Amber	
Odour: Odourless	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	> 100	Method not given	
C12-15 alcohols, ethoxylated (7EO)	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): Not determined	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: Not applicable	ISO 4316
Dilution pH: ≈ 9 (0.5 %)	ISO 4316
Kinematic viscosity: Not determined	DM-006 Viscosity - Standard
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	280 Soluble	Method not given	20
C12-15 alcohols, ethoxylated (7EO)	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

	Method / remark
Vapour pressure: Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available		
C12-15 alcohols, ethoxylated (7EO)	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

	Method / remark
Relative density: ≈ 1.06 (20 °C)	OECD 109 (EU A.3)
Relative vapour density: No data available.	Not relevant to classification of this product
Particle characteristics: No data available.	Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2

Method: Weight of evidence

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)		Not established
C12-15 alcohols, ethoxylated (7EO)		No data available				Not established
2-methyl-2H-isothiazol-3-one	LD ₅₀	120	Rat	OECD 401 (EU B.1)		120

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
C12-15 alcohols, ethoxylated (7EO)		No data available				Not established
2-methyl-2H-isothiazol-3-one	LD ₅₀	242	Rat	OECD 402 (EU B.3)	24 hours	242

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		5.71			
C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one	LC ₅₀	(mist) 0.11	Rat	OECD 403 (EU B.2)	4 hours

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Not established	Not established	Not established	Not established
C12-15 alcohols, ethoxylated (7EO)	Not established	Not established	Not established	Not established
2-methyl-2H-isothiazol-3-one	Not established	0.11	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	Corrosive			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available			
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476	No evidence for mutagenicity, negative test results	OECD 475 (EU B.11)
C12-15 alcohols, ethoxylated (7EO)	No data available		No data available	
2-methyl-2H-isothiazol-3-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No evidence for carcinogenicity, weight-of-evidence
C12-15 alcohols, ethoxylated (7EO)	No data available
2-methyl-2H-isothiazol-3-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	Developmental toxicity	> 1000	Rat	OECD 414 (EU B.31), oral		No evidence for reproductive toxicity
C12-15 alcohols, ethoxylated (7EO)			No data available				
2-methyl-2H-isothiazol-3-one			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOAEL	> 225		OECD 408 (EU B.26)	90	
C12-15 alcohols, ethoxylated (7EO)		No data available				

Omo Professional Perfume Free

2-methyl-2H-isothiazol-3-one		No data available				
------------------------------	--	-------------------	--	--	--	--

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
C12-15 alcohols, ethoxylated (7EO)		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
C12-15 alcohols, ethoxylated (7EO)		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts			No data available					
C12-15 alcohols, ethoxylated (7EO)			No data available					
2-methyl-2H-isothiazol-3-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
C12-15 alcohols, ethoxylated (7EO)	No data available
2-methyl-2H-isothiazol-3-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available
C12-15 alcohols, ethoxylated (7EO)	No data available
2-methyl-2H-isothiazol-3-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	LC ₅₀	7.1	Fish	OECD 203 (EU C.1)	96

Omo Professional Perfume Free

C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one	LC ₅₀	4.77	<i>Oncorhynchus mykiss</i>	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₅₀	7.4	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one	LC ₅₀	0.93-1.9	<i>Daphnia magna</i> Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₅₀	10 - 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one	EC ₅₀	0.158	<i>Selenastrum capricornutum</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available			
C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alcohols, C12-14, ethoxylated, sulphates, sodium salts	EC ₀	> 100		DIN 38412, Part 27	
C12-15 alcohols, ethoxylated (7EO)		No data available			
2-methyl-2H-isothiazol-3-one	EC ₂₀	2.8	<i>Activated sludge</i>	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	1 - 10	<i>Not specified</i>	OECD 203	45 day(s)	
C12-15 alcohols, ethoxylated (7EO)		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts	NOEC	0.27	<i>Daphnia</i> sp.	OECD 211	21 day(s)	
C12-15 alcohols, ethoxylated (7EO)		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alcohols, C12-14, ethoxylated, sulphates, sodium salts		No data available				
C12-15 alcohols, ethoxylated (7EO)		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Omo Professional Perfume Free

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts		CO ₂ production	77-79 % in 28 day(s)	OECD 301D	Readily biodegradable
C12-15 alcohols, ethoxylated (7EO)	Activated sludge, aerobe	CO ₂ production	72% in 28 day(s)	OECD 301B	Readily biodegradable
2-methyl-2H-isothiazol-3-one				Other	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
2-methyl-2H-isothiazol-3-one	Surface water (fresh)	Mineralisation rate	> 50 % in 4 day(s)	OECD 309	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	0.3	Method not given	No bioaccumulation expected	
C12-15 alcohols, ethoxylated (7EO)	No data available			
2-methyl-2H-isothiazol-3-one	-0.32	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alcohols, C12-14, ethoxylated, sulphates, sodium salts	< 3		Method not given	No bioaccumulation expected	
C12-15 alcohols, ethoxylated (7EO)	No data available				
2-methyl-2H-isothiazol-3-one	3.16		OECD 305		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alcohols, C12-14, ethoxylated, sulphates, sodium salts	No data available				
C12-15 alcohols, ethoxylated (7EO)	No data available				
2-methyl-2H-isothiazol-3-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

Omo Professional Perfume Free

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants

5 - 15 %

non-ionic surfactants, soap

< 5 %

enzymes, Phenoxyethanol, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

Pr.nr: 4576243

National regulations

Produktet er omfattet af krav om udarbejdelse af arbejdspladsbrugsanvisning (Arbejdstilsynets bekendtgørelse nr. 292 af 26. april 2001 med senere ændringer om arbejde med stoffer og materialer).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1006297

Version: 01.0

Revision: 2025-06-14

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H311 - Toxic in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH071 - Corrosive to the respiratory tract.

End of Safety Data Sheet