

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Neutral Professional Detergent Sensitive

Revision: 2024-08-04 **Version:** 02.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Neutral Professional Detergent Sensitive

UFI: PHAJ-V1RV-H00K-9TCU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laundry detergent.

Uses advised against:

For professional and industrial use only.
Uses other than those identified are not recommended.

$\begin{array}{l} \textbf{SWED - Sector-specific worker exposure description:} \\ \textbf{AISE_SWED_PW_8a_2} \\ \textbf{AISE_SWED_PW_8b_2} \end{array}$

AISE_SWED_PW_8a AISE_SWED_PW_8b AISE_SWED_IS_8b_2 AISE_SWED_PW_1_1 AISE_SWED_PW_4_1 AISE_SWED_IS_1_1 AISE_SWED_IS_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Sverige AB

Liljeholmsstranden 3, plan 6/4 tr, SE-117 61 Stockholm, Tel: 08-7799300

E-mail: info.se@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

112 - begär Giftinformation.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements:

H319 - Causes serious eye irritation.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	[1]	Eye irritation, Category 2 (H319)		3-10
sodium cumenesulphonate	239-854-6	15763-76-5	01-211948941	Eye irritation, Category 2 (H319)		1-3

			1-37		
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute toxicity - Oral, Category 4 (H302)	1-3
				Serious eye damage, Category 1 (H318)	
3-iodo-2-propynylbutylcarbamate	259-627-5	55406-53-6	01-212076211	Acute toxicity - Inhalation, Category 3 (H331)	0.01-0.1
			5-60	Specific target organ toxicity - Repeated	
				exposure, Category 1 (H372)	
				Acute toxicity - Oral, Category 4 (H302)	
				Serious eye damage, Category 1 (H318)	
				Skin sensitisation, Category 1 (H317)	
				Acute aquatic toxicity, Category 1 M=10 (H400)	
				Chronic aquatic toxicity, Category 1 M=1 (H410)	

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATF if available are listed in section 11

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Consider personal protective equipment as indicated in subsection 8.2. Self-protection of first aider:

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. No known effects or symptoms in normal use. Skin contact: Eye contact: Causes severe irritation.

No known effects or symptoms in normal use. Ingestion:

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium cumenesulphonate	-	-	-	3.8
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium cumenesulphonate	-	-	-	136.25
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	-	-	-	2

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium cumenesulphonate	-	-	-	68.1
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium cumenesulphonate	-	-	-	26.9
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	1.16	0.07	1.16	0.023

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium cumenesulphonate	-	-	-	6.6

alkyl alcohol ethoxylate	•	-	-	-
3-iodo-2-propynylbutylcarbamate	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium cumenesulphonate	0.23	0.023	2.3	100
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	0.001	0	0.001	0.44

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium carbonate	-	-	•	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
alkyl alcohol ethoxylate	-	-	-	-
3-iodo-2-propynylbutylcarbamate	0.017	0.002	0.005	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

NEADIT de scendinos considered for the diffinited	product.				
	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic transfer and dilution	AISE_SWED_IS_8b_2	IS	PROC 8b	60	ERC4
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Automatic transfer and dilution	AISE SWED PW 8b 2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.455

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Light , Yellow Odour: Product specific Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium cumenesulphonate	No data available		
alkyl alcohol ethoxylate	> 200	Method not given	
3-iodo-2-propynylbutylcarbamate	Product decomposes before boiling	OECD 103 (EU A.2)	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable. Flash point (°C): Not applicable.

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 9 (neat) ISO 4316 **Dilution pH:** ≈ 9 (0.46 %) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20
alkyl alcohol ethoxylate	Soluble	Method not given	20
3-iodo-2-propynylbutylcarbamate	0.168	OECD 105 (EU A.6)	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark See substance data

Vapour pressure: Not determined

Substance data, vapour pressure Method Ingredient(s) Value Temperature (Pa) sodium carbonate Negligible No data available sodium cumenesulphonate Method not given alkyl alcohol ethoxylate Negligible 20-25 3-iodo-2-propynylbutylcarbamate 0.000045 OECD 104 (EU A.4) 25

Relative density: ≈ 1.10 (20 °C) Relative vapour density: No data available.

Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Method / remark OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Explosive properties: Not explosive. Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Oral
		(mg/kg)			time (h)	(mg/kg)
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		2800
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		Not established
3-iodo-2-propynylbutylcarbamate	LD 50	1056	Rat	OECD 401 (EU B.1)		1056

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
3-iodo-2-propynylbutylcarbamate	LD 50	> 2000	Rabbit	EPA OPP 81-2	24	Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87
alkyl alcohol ethoxylate		No data available			
3-iodo-2-propynylbutylcarbamate	LC 50	0.763 (mist)	Rat	Method not given	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
3-iodo-2-propynylbutylcarbamate	Not established	0.763	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
3-iodo-2-propynylbutylcarbamate	Not irritant	Rabbit	EPA OPP 81-5	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
3-iodo-2-propynylbutylcarbamate	Severe damage	Rabbit	EPA OPP 81-4	0.5 minute(s)

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium cumenesulphonate	No data available			
alkyl alcohol ethoxylate	No data available			
3-iodo-2-propynylbutylcarbamate	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
3-iodo-2-propynylbutylcarbamate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium cumenesulphonate	No data available			
alkyl alcohol ethoxylate	No data available			
3-iodo-2-propynylbutylcarbamate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
3-iodo-2-propynylbutylcarbamate	No evidence for mutagenicity		No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
3-iodo-2-propynylbutylcarbamate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data				

			available			
sodium	NOAEL	Teratogenic effects	> 936	Rat	Non guideline	No known significant effects or
cumenesulphonate					test	critical hazards
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known	No known significant effects or
						critical hazards
3-iodo-2-propynylbutylc		Developmental toxicity	-			No evidence for developmental
arbamate		Teratogenic effects				toxicity No evidence for
						teratogenic effects

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
alkyl alcohol ethoxylate		No data available				
3-iodo-2-propynylbutylcarbamate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data			` `	
		available				
sodium cumenesulphonate		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
3-iodo-2-propynylbutylcarbamate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium carbonate		No data				
		available				
sodium cumenesulphonate		No data				
·		available				
alkyl alcohol ethoxylate		No data				
		available				
3-iodo-2-propynylbutylcarbamate		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
sodium cumenesulphonate			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
3-iodo-2-propynylbutylc arbamate			No data available					

STOT-single exposure

e re r enigle expedite	
Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium cumenesulphonate	Not applicable
alkyl alcohol ethoxylate	Not applicable
3-iodo-2-propynylbutylcarbamate	No data available

STOT-repeated exposure

e : e : repeated expectare	
Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium cumenesulphonate	Not applicable
alkyl alcohol ethoxylate	Not applicable
3-iodo-2-propynylbutylcarbamate	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
alkyl alcohol ethoxylate	LC 50	> 1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
3-iodo-2-propynylbutylcarbamate	LC 50	0.067	Oncorhynchus mykiss	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
sodium cumenesulphonate	EC 50	> 1000	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
3-iodo-2-propynylbutylcarbamate	EC 50	0.16	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	> 800	Selenastrum capricornutum		72
sodium cumenesulphonate	Eь С 50	> 230	Not specified	EPA OPPTS 850.5400	96
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
3-iodo-2-propynylbutylcarbamate	Er C 50	0.022	Desmodesmus subspicatus		72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium cumenesulphonate		No data available			
alkyl alcohol ethoxylate		No data available			
3-iodo-2-propynylbutylcarbamate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
alkyl alcohol ethoxylate		> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
3-iodo-2-propynylbutylcarbamate	EC 50	44	Activated	Method not given	3 hour(s)

sludge

Neutral Professional Detergent Sensitive

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data				
sodium cumenesulphonate		available No data				
		available				
alkyl alcohol ethoxylate		No data available				
3-iodo-2-propynylbutylcarbamate	NOEC	0.0084	Pimephales promelas	Method not given	35 day(s)	
lang tarm toxisity awatees						
c long-term toxicity - crustacea Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data			time	
sodium cumenesulphonate		available No data				
socium cumenescipnonate		available				
alkyl alcohol ethoxylate		No data available				
3-iodo-2-propynylbutylcarbamate	EC 50	0.05	Daphnia magna	Method not given	21 day(s)	
				giveii		
c toxicity to other aquatic benthic organisms, ingredient(s)	Endpoint	-dwelling organi	Species	Method	Exposure	Effects observed
		(mg/kg dw sediment)	.,		time (days)	
sodium carbonate		No data available				
sodium cumenesulphonate		No data available				
		No data				
alkyl alcohol ethoxylate						
		available			 	
3-iodo-2-propynylbutylcarbamate	hworms. if availabl	available No data available				
3-iodo-2-propynylbutylcarbamate	hworms, if availabl	available No data available e: Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including eartl		available No data available e: Value (mg/kg dw soil) No data	Species	Method		Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s)		available No data available e: Value (mg/kg dw soil)	Species Eisenia fetida	Method		Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including eart Ingredient(s) sodium carbonate	Endpoint	e: Value (mg/kg dw soil) No data available	·	Method		Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available:	Endpoint NOEC	e: Value (mg/kg dw soil) No data available	Eisenia fetida		time (days)	
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate	Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw d	·	Method Method		
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available:	Endpoint NOEC	e: Value (mg/kg dw soil) Value (mg/kg dw soil) No data	Eisenia fetida		time (days)	
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s)	Endpoint NOEC	e: Value (mg/kg dw soil) Value (mg/kg dw soil)	Eisenia fetida		time (days)	
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate	NOEC Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available	Eisenia fetida Species	Method	time (days)	
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate alkyl alcohol ethoxylate	Endpoint NOEC Endpoint NOEC	available No data available e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10	Eisenia fetida Species Lepidium sativum	Method OECD 208	Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s)	NOEC Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value Value (mg/kg dw soil)	Eisenia fetida Species Lepidium	Method	time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate alkyl alcohol ethoxylate	Endpoint NOEC Endpoint NOEC	available No data available e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10	Eisenia fetida Species Lepidium sativum	Method OECD 208	Exposure time (days)	Effects observed Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s) sodium carbonate sodium carbonate	Endpoint NOEC Endpoint NOEC	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data	Eisenia fetida Species Lepidium sativum	Method OECD 208	Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s)	Endpoint NOEC Endpoint NOEC	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data available	Eisenia fetida Species Lepidium sativum	Method OECD 208	Exposure time (days) Exposure time (days) Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s) sodium carbonate trial toxicity - birds, if available: Ingredient(s) sodium carbonate	Endpoint NOEC Endpoint NOEC Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data available 10	Species Lepidium sativum Species	Method OECD 208	Exposure time (days) Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s) sodium carbonate trial toxicity - birds, if available: Ingredient(s) sodium carbonate	Endpoint NOEC Endpoint NOEC Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data available 10 Value No data available 10 Value No data available	Species Lepidium sativum Species	Method OECD 208 Method	Exposure time (days) Exposure time (days) Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s) sodium carbonate trial toxicity - birds, if available: Ingredient(s) sodium carbonate	Endpoint NOEC Endpoint NOEC Endpoint	available No data available e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data available	Species Lepidium sativum Species	Method OECD 208 Method	Exposure time (days) Exposure time (days) Exposure time (days)	Effects observed
3-iodo-2-propynylbutylcarbamate strial toxicity trial toxicity - soil invertebrates, including earth Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - plants, if available: Ingredient(s) sodium carbonate alkyl alcohol ethoxylate trial toxicity - birds, if available: Ingredient(s) sodium carbonate trial toxicity - birds, if available: Ingredient(s) sodium carbonate	Endpoint NOEC Endpoint NOEC Endpoint	e: Value (mg/kg dw soil) No data available 220 Value (mg/kg dw soil) No data available 10 Value No data available 10 Value No data available 10 Value No data available	Species Lepidium sativum Species	Method OECD 208 Method	Exposure time (days) Exposure time (days) Exposure time (days)	Effects observed

sodium carbonate	No data		
	available		

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation

ady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
3-iodo-2-propynylbutylcarbamate					Inherently biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

	Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Ī	sodium carbonate					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	
3-iodo-2-propynylbutylcarbamate	2.81		Low potential for bioaccumulation	

Bioconcentration factor (BCF)

Bioconcentration factor (BCF)				
Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium cumenesulphonate	No data available				
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
3-iodo-2-propynylbutylc arbamate	≥ 3.3		OECD 305	Low potential for bioaccumulation	

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium cumenesulphonate	No data available				
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
3-iodo-2-propynylbutylcarbamate	No data available				

12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

Diversey Sweden AB is registered with the FTI (collection of packagings and paper)

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods **14.2 UN proper shipping name:** Non-dangerous goods **14.3 Transport hazard class(es):** Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

non-ionic surfactants, polycarboxylates enzymes, lodopropynyl Butylcarbamate, Phenoxyethanol

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005868 Version: 02.1 Revision: 2024-08-04

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 8, 9, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect LimitEC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- · LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- · NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

End of Safety Data Sheet