

Overensstemmelseserklæring

Side 1/3

BB-774580 - FIT-On Badehandske, voksen, 33cm, Fv. blå med tape 100 stk/pk 10 pk/krt 240 pk/pl

Vi, LogiCon Nordic A/S, bekræfter, at denne vare er egnet til direkte, kortvarig kontakt med fede og syreholdige fødevarer ved temperaturer fra -18° til +40° C.

EU

- Forordning 10/2011/EF med senere ændringer om plastmaterialer- og genstande til at komme i berøring med levnedsmidler.
- Forordning 1935/2004/EF om materialer og genstande bestemt til kontakt med fødevarer og om ophævelse af direktiv 80/590/EØF og 89/109/EØF.
- Forordning 2023/2006 /EF om god fremstillingspraksis for materialer og genstande bestemt til kontakt med fødevarer.
- Forordning 1907/2006/EF om REACH.
- Direktiv 94/62/EF med senere ændringer om emballage og emballageaffald.

D


- BFR Commodities based on natural and synthetic Rubber of 01.07.2016.

DK

- Bekendtgørelse nr. 681 af 25.05.2020 om materialer og genstande bestemt til kontakt med fødevarer.
- Bekendtgørelse nr. 1223 af 24.11.2024 om autorisation og registrering af fødevarevirksomheder.

OML-MIGRATIONSRESULTATER:

Simulant	Tid	Temperatur	Gennemsnit
B 3% Eddikesyre	2 t	70°C	<3,0 mg/dm ²
D Isooktan	0,5 t	40°C	<3,0 mg/dm ²
D 95% Ethanol	2 t	60°C	>3,0 mg/dm ²
Overfladeareal			10 dm ² /kg area/volume


Bent Ole Nørregaard
CEO - General Manager

BEKLÆDNING

EMBALLAGE

HÅNDVÆRKTØJ

HYGIEJNE

SML-SPECIFIK MIGRATION:

Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004, (EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of heavy metals

Test Method: With reference to EN 13130-1:2004, analysis was performed by ICP-OES/ICP-MS.

Simulant	Test Condition
	A2
3% Acetic acid (W/V)	40°C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A2
3% Acetic acid (W/V)				
Migration times				First
Arsenic(As)	ND	mg/kg	0.01	ND
Cadmium(Cd)	ND	mg/kg	0.002	ND
Chromium(Cr)	ND	mg/kg	0.01	ND
Mercury(Hg)	ND	mg/kg	0.01	ND
Lead(Pb)	ND	mg/kg	0.01	ND
Aluminium(Al)	1	mg/kg	0.1	ND
Barium(Ba)	1	mg/kg	0.25	ND
Cobalt(Co)	0.05	mg/kg	0.01	ND
Copper(Cu)	5	mg/kg	0.25	ND
Iron(Fe)	48	mg/kg	5	ND
Lithium(Li)	0.6	mg/kg	0.1	ND
Manganese(Mn)	0.6	mg/kg	0.1	ND
Zinc(Zn)	5	mg/kg	0.5	ND
Nickel(Ni)	0.02	mg/kg	0.01	ND
Antimony(Sb)	0.04	mg/kg	0.01	ND
Europium(Eu)	-	mg/kg	0.025	ND
Gadolinium(Gd)	-	mg/kg	0.025	ND
Lanthanum(La)	-	mg/kg	0.025	ND
Terbium(Tb)	-	mg/kg	0.025	ND
Europium (Eu)+ Gadolinium(Gd)+ Lanthanum(La)+ Terbium(Tb)	0.05	mg/kg	-	ND
Comment				Pass

Notes:

- (1) Test condition & simulant were specified by client.
- (2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

B.O. Nørgaard
Bent Ole Nørgaard
CEO - General Manager

BEKLÆDNING

EMBALLAGE

HÅNDVÆRKTØJ

HYGIEJNE

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of primary
aromatic amine (total)**

Test Method: With reference to EN 13130-1:2004, analysis was performed by UV-Vis.

Simulant	Test Condition
	A2
3% Acetic acid (W/V)	40°C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A2
3% Acetic acid (W/V)				
Migration times				First
Specific migration of primary aromatic amine	0.01	mg/kg	0.002	ND
Comment	Pass			

Notes:

- (1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of 1-octene**

Test Method: With reference to EN 13130-1:2004, analysis was performed by HS-GC-MS.

Simulant	Test Condition
	A2
Rectified olive oil	40°C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A2
Rectified olive oil				
Migration times				First
Specific migration of 1-octene	15	mg/kg	5	ND
Comment	Pass			

Notes:

- (1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.

**Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004,
(EU) No 10/2011 and its amendment (EU) 2020/1245 Regulation - Specific migration of 1-hexene**

Test Method: With reference to EN 13130-1:2004, analysis was performed by HS-GC-MS.

Simulant	Test Condition
	A2
Rectified olive oil	40°C, 2 hrs

Test Item(s)	Limit	Unit(s)	RL	A2
Rectified olive oil				
Migration times				First
Specific migration of 1-hexene	3	mg/kg	1.0	ND
Comment	Pass			

Notes:

- (1) Test condition & simulant were specified by client.
(2) For repeated use, compliance of the material or article is verified on the basis of the level of the migration found in the third test and on the basis of the stability of the material or article from the first to the third migration test. For substances which limit is "Not Detected", the compliance is based on the first migration test result if it is detected.