



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Safety Data Sheet dated 17/2/2026, version 1

Conforms to Regulation (EC) No. 878/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: kvikREN toilet duftblok ocean breeze
Trade code: 7169
UFI: T3JD-V6J2-G00C-2CST

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Household WC detergent

Uses advised against:

Do not use the product other than as directed by the supplier

1.3. Details of the supplier of the safety data sheet

Company:

RE.LE.VI. S.p.A. - Via Postumia n.1- 46040 RODIGO Mantova - Italia

Phone +39.0376.684011 - FAX +39.0376.658076

www.relevi.it - info@relevi.it

Competent person responsible for the safety data sheet:

sds@relevi.it

1.4. Emergency telephone number

Company +39 0376 780632 (24/24h - 7/7d - Italian/English)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash hands thoroughly after handling.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local regulations.

Special Provisions:

None

Contains

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

Composition - Reg (EC) n ° 648/2004

Contains:

anionic surfactants

30 % and
more

non-ionic surfactants

less than
5 %

The product also contains:

Perfumes

Allergens:

LIMONENE, TETRAMETHYL

ACETYLOCTAHYDRONAPHTHALENES, TERPINOLENE, CITRUS

AURANTIUM PEEL OIL, LINALOOL, EUCALYPTUS GLOBULUS

OIL, POGOSTEMON CABLIN OIL, EUCALYPTUS GLOBULUS OIL,

CARVONE, CITRAL, LIMONENE

Preservatives:

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Qty	Name	Ident. Number	Classification
>= 30% - < 40%	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	CAS: 68411-30-3 EC: 270-115-0 REACH No.: 01- 2119489428 -22	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/1 Eye Dam. 1 H318 4.1/C3 Aquatic Chronic 3 H412 Acute Toxicity Estimate: ATE - Oral 1058 mg/kg bw
>= 10% - < 12,5%	Sulfonic acids, C14-16 (even numbered)- alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts	CAS: 68439-57-6 EC: 931-534-0 REACH No.: 01- 2119513401 -57	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: 5% <= C < 38%: Eye Irrit. 2 H319 C >= 5%: Skin Irrit. 2 H315 C >= 38%: Eye Dam. 1 H318
>= 2,5% - < 5%	D-Glucopyranose, oligomeric, C10-16- alkyl glycosides	CAS: 110615-47-9 EC: 600-975-8 REACH No.: 01- 2119489418 -23	⚠ 3.2/2 Skin Irrit. 2 H315 ⚠ 3.3/1 Eye Dam. 1 H318 Specific Concentration Limits: C >= 12%: Skin Irrit. 2 H315 C >= 30%: Eye Dam. 1 H318

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

7169/1

Page n. 3 of 13



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

- 5.1. Extinguishing media
Suitable extinguishing media:
Water.
Carbon dioxide (CO₂).
Extinguishing media which must not be used for safety reasons:
None in particular.
- 5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
For non emergency personnel:
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
For emergency responders:
Wear personal protection equipment.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
None in particular
Keep away from food, drink and feed.
Incompatible materials:
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3

Worker Industry: 170 mg/kg - Consumer: 85 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 12 mg/m³ - Consumer: 3 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.85 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts - CAS: 68439-57-6

Worker Professional: 2158.33 mg/kg - Consumer: 1295 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 152.22 mg/m³ - Consumer: 45.04 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 12.95 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

Worker Industry: 595000 mg/kg - Consumer: 357000 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 420 mg/m³ - Consumer: 124 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 35.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3

Target: Fresh Water - Value: 0.268 mg/l

Target: Marine water - Value: 0.0268 mg/l

Target: wastewater treatment plant - Value: 3.43 mg/l

Target: Freshwater sediments - Value: 8.1 mg/kg

Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts - CAS: 68439-57-6

Target: Fresh Water - Value: 0.024 mg/l

Target: Marine water - Value: 0.0024 mg/l

Target: Freshwater sediments - Value: 0.767 mg/kg

Target: Marine water sediments - Value: 0.0767 mg/kg

Target: Microorganisms in sewage treatments - Value: 4 mg/l

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

Target: Fresh Water - Value: 0.176 mg/l

Target: Marine water - Value: 0.018 mg/l

Target: Freshwater sediments - Value: 1.516 mg/kg

Target: Marine water sediments - Value: 0.065 mg/kg

Target: Soil (agricultural) - Value: 0.654 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Solid	--	--
Colour:	Light blue	--	--
Odour:	Ocean	--	--
Melting point/freezing point:	Not available	--	--
Boiling point or initial boiling point and boiling range:	Not available	--	--
Flammability:	N.A.	--	--
Lower and upper explosion limit:	Not available	--	--
Flash point:	Not available	--	--
Auto-ignition temperature:	Not available	--	--
Decomposition temperature:	Not available	--	--
pH (sol. 1%):	7.5± 2.0	--	--
Kinematic viscosity:	N.A.	--	--
Solubility in water:	Soluble	--	--
Solubility in oil:	Not available	--	--
Partition coefficient n-octanol/water (log value):	Not available	--	--



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Vapour pressure:	Not available	--	--
Density and/or relative density:	Not available	--	--
Relative vapour density:	Not available	--	--
Particle characteristics:			
Particle size:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes:
Viscosity:	Not available	--	--

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Toxicological information of the product:
kvikREN toilet duftblok ocean breeze
 - a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
 - b) skin corrosion/irritation
The product is classified: Skin Irrit. 2 H315
 - c) serious eye damage/irritation
The product is classified: Eye Dam. 1 H318
 - d) respiratory or skin sensitisation
Not classified
Based on available data, the classification criteria are not met
 - e) germ cell mutagenicity
Not classified



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

- Based on available data, the classification criteria are not met
- f) carcinogenicity
Not classified
 - Based on available data, the classification criteria are not met
 - g) reproductive toxicity
Not classified
 - Based on available data, the classification criteria are not met
 - h) STOT-single exposure
Not classified
 - Based on available data, the classification criteria are not met
 - i) STOT-repeated exposure
Not classified
 - Based on available data, the classification criteria are not met
 - j) aspiration hazard
Not classified
- Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:
- Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3
- a) acute toxicity
ATE - Oral 1058 mg/kg bw
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg
Test: LD50 - Route: Oral - Species: Rat = 1080 mg/kg
 - d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin - Species: GUINEA PIG Negative
 - e) germ cell mutagenicity:
Test: OECD476 - Species: Generic Bacteria Negative
- Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts - CAS: 68439-57-6
- a) acute toxicity:
Test: LC50 - Route: Inhalation - Species: Rat > 52 mg/l - Duration: 4h
Test: LD50 - Route: Skin - Species: Rabbit > 6300 mg/kg
Test: LD50 - Route: Oral - Species: Rat = 2079 mg/kg
- D-Glucopyranose, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9
- a) acute toxicity:
Test: LD50 - Route: Oral > 2000 mg/kg
Test: LD50 - Route: Skin > 2000 mg/kg
- 11.2. Information on other hazards
- Endocrine disrupting properties:
No endocrine disruptor substances present in concentration \geq 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

kvikREN toilet duftblok ocean breeze

The product is classified: Aquatic Chronic 3 - H412

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 2.9 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 1.67 mg/l - Duration h: 96



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Algae = 3.1 mg/l - Duration h: 360
Endpoint: NOEC - Species: Daphnia = 1.41 mg/l - Duration h: 540
Endpoint: NOEC - Species: Fish = 0.23 mg/l - Duration h: 672
- Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts - CAS: 68439-57-6
- a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Daphnia = 4.53 mg/l - Duration h: 48 - Notes: OECD 202 Daphnia sp. - Acute Immobilisation Test
Endpoint: EC50 - Species: Algae = 5.2 mg/l - Duration h: 72 - Notes: ISO 10253:2006
Endpoint: LC50 - Species: Fish = 4.2 mg/l - Duration h: 96
- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Daphnia = 6.3 mg/l - Notes: OECD 211 Daphnia Magna - Reproduction Test
Endpoint: NOEC - Species: Algae = 3.2 mg/l - Duration h: 72 - Notes: ISO 10253:2006
- D-Glucopyranose, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9
- a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Algae = 12.5 mg/l - Duration h: 72
Endpoint: EC50 - Species: Daphnia = 7 mg/l - Duration h: 48
Endpoint: LC50 - Species: Fish = 2.95 mg/l - Duration h: 96
- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Daphnia = 1.76 mg/l
Endpoint: NOEC - Species: Fish = 1.8 mg/l
- 12.2. Persistence and degradability
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3
Biodegradability: Readily biodegradable - Test: Degradation half-life in marine water - Duration: 29gg - %: 85 - Notes: OECD 301B Ready biodegradability
- 12.3. Bioaccumulative potential
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts - CAS: 68411-30-3
Bioaccumulation: .2 - Test: Kow - Partition coefficient 3.32
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
Not classified as dangerous in the meaning of transport regulations.



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 2020/878
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)
Regulation (EU) n. 2022/692 (ATP 18 CLP)
Regulation (EU) n. 2023/707
Regulation (EU) n. 2023/1434 (ATP 19 CLP)
Regulation (EU) n. 2023/1435 (ATP 20 CLP)
Regulation (EU) n. 2024/197 (ATP 21 CLP)
Regulation (EU) n. 2024/2564 (ATP 22 CLP)
Regulation (EU) n. 2024/2865
Regulation (EU) n. 2025/1222 (ATP 23 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
Restrictions related to the product:
No restriction.



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Restrictions related to the substances contained:

Restriction 40

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

SECTION 16: Other information

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

Aquatic Chronic 3, H412	Calculation method
-------------------------	--------------------

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand
Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BIODG06: CO2 Evolution Test

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EC50: Effect Concentration 50

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GG: Days

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

N.A.: Not applicable

NOEC: no effective concentration observed

OECD: Organization for Economic Cooperation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.



Safety Data Sheet

kvikREN toilet duftblok ocean breeze

TWA: Time-weighted average
WGK: German Water Hazard Class.