



Neutral Professional Classic Tablets

Revision: 2025-11-14

Version: 01.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Neutral Professional Classic Tablets

UFI: JAYK-H1CV-U00J-WWC1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Dish wash product.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2

PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Unilever Europe BV (UPro), Rodezand 90, 3011 AN Rotterdam, NL

Contact details

Diversey Danmark ApS

Tel: 70 10 41 14

E-mail: ordre.dk@solenis.com

1.4 Emergency telephone number

Kontakt læge eller skadestue - medbring etiket eller dette sikkerhedsdatablad.

Giftlinjen, telefon 82 12 12 12, kan kontaktes i tilfælde af indtagelse eller forgiftning.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains subtilisin (Subtilisin)

Hazard statements:

H319 - Causes serious eye irritation.

EUH208 - May produce an allergic reaction.

Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
---------------	-----------	------------	--------------	----------------	-------	----------------

Neutral Professional Classic Tablets

sodium carbonate	207-838-8	497-19-8	01-211948549 8-19	Eye irritation, Category 2 (H319)	30-50
sodium percarbonate	239-707-6	15630-89-4	01-211945726 8-30	Oxidising solids, Category 3 (H272) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)	10-20
alkyl alcohol alkoxylate	[4]	68439-51-0	[4]	Chronic aquatic toxicity, Category 3 (H412)	1-3
disodium disilicate	215-687-4	1344-09-8	01-211944872 5-31	Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318)	1-3
disodium trisilicate	215-687-4	1344-09-8	01-211944872 5-31	Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319)	1-3
polyethylene glycol	[4]	25322-68-3	[4]	Not classified as hazardous	1-3
subtilisin	232-752-2	9014-01-1	01-211948043 4-38	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Respiratory sensitisation, Category 1 (H334) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)	0.1-1

Specific concentration limits

sodium percarbonate:

- Serious eye damage, Category 1 (H318) >= 25% > Eye irritation, Category 2 (H319) >= 7.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If medical advice is needed, have product container or label at hand.

Inhalation:

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

6.2 Environmental precautions

Neutral Professional Classic Tablets

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
polyethylene glycol	1000 mg/m ³	2000 mg/m ³	
subtilisin			0.00006 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	-	-	-	0.8
disodium trisilicate	-	-	-	0.8
polyethylene glycol	-	-	-	40
subtilisin	-	3.6	-	1.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium percarbonate	12.8 mg/cm ² skin	-	12.8 mg/cm ² skin	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	No data available	-	No data available	1.59
disodium trisilicate	No data available	-	No data available	1.59
polyethylene glycol	No data available	-	No data available	-
subtilisin	0.2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium percarbonate	6.4 mg/cm ² skin	-	6.4 mg/cm ² skin	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	No data available	-	No data available	0.8
disodium trisilicate	No data available	-	No data available	0.8
polyethylene glycol	No data available	-	No data available	-
subtilisin	0.2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium percarbonate	-	-	5	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	-	-	-	5.61
disodium trisilicate	-	-	-	5.61
polyethylene glycol	-	-	-	-
subtilisin	-	-	0.00006	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium percarbonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	-	-	-	1.38
disodium trisilicate	-	-	-	1.38
polyethylene glycol	-	-	-	-
subtilisin	-	-	0.000015	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium percarbonate	0.035	0.035	0.035	16.24
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	7.5	1	7.5	348
disodium trisilicate	7.5	1	7.5	348
polyethylene glycol	-	-	-	-
subtilisin	0.00006	0.000006	-	65

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
alkyl alcohol alkoxylate	No data available	No data available	No data available	No data available
disodium disilicate	-	-	-	-
disodium trisilicate	-	-	-	-
polyethylene glycol	-	-	-	-
subtilisin	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Neutral Professional Classic Tablets

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C		-	ERC8a
Manual transfer of product	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection:

No special requirements under normal use conditions.

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Solid

Appearance: Tablets

Colour: Speckles , from White to Blue

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium percarbonate	Product decomposes before boiling		
alkyl alcohol alkoxylate	No data available		
disodium disilicate	> 100	Method not given	
disodium trisilicate	> 100	Method not given	
polyethylene glycol	No data available		
subtilisin	No data available		

Method / remark

Flammability (solid, gas): Not determined

Flammability (liquid): Not applicable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
subtilisin	-	-

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: Not applicable

Dilution pH: ≈ 11 (10%)

Kinematic viscosity: Not applicable to solids or gases

Solubility in / Miscibility with water: Soluble

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium percarbonate	140	Method not given	20
alkyl alcohol alkoxylate	No data available		
disodium disilicate	Soluble	Method not given	20
disodium trisilicate	Soluble	Method not given	20
polyethylene glycol	Soluble		20

subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium percarbonate	Negligible		
alkyl alcohol alkoxylate	No data available		
disodium disilicate	No data available		
disodium trisilicate	No data available		
polyethylene glycol	No data available		
subtilisin	Not applicable		

Relative density: ≈ 1.00 (20 °C)

Relative vapour density: No data available.

Particle characteristics: Not determined.

Method / remark

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not determined

Not applicable to solids or gases

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2

Species: Not applicable.

Method: Weight of evidence

Substance data: where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium carbonate	LD ₅₀	2800	Rat	OECD 401 (EU B.1)		Not established
sodium percarbonate	LD ₅₀	1034	Rat	Method not given		1034
alkyl alcohol alkoxylate	LD ₅₀	> 2000-<5000	Rat	OECD 401 (EU B.1)		Not established
disodium disilicate	LD ₅₀	3400	Rat	Method not given		Not established
disodium trisilicate	LD ₅₀	3400	Rat	Method not given		Not established
polyethylene glycol	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)		Not established
subtilisin	LD ₅₀	1800	Rat	OECD 401 (EU B.1)		1800

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium carbonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
sodium percarbonate	LD ₅₀	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
alkyl alcohol alkoxylate	LD ₅₀	> 5000	Rat	OECD 402 (EU B.3)		Not established
disodium disilicate	LD ₅₀	> 5000	Rat	Method not given		Not established
disodium trisilicate	LD ₅₀	> 5000	Rat	Method not given		Not established
polyethylene glycol	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
subtilisin		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC ₅₀	> 2.3 (dust)		Weight of evidence	2
sodium percarbonate		No data available			
alkyl alcohol alkoxylate		No data available			
disodium disilicate	LC ₅₀	> 2.06 No mortality observed	Rat	Non guideline test	
disodium trisilicate		No mortality observed	Rat	Method not given Non guideline test	4
polyethylene glycol		No data available			
subtilisin		-		Weight of evidence	

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
alkyl alcohol alkoxylate	Not established	Not established	Not established	Not established
disodium disilicate	Not established	Not established	Not established	Not established
disodium trisilicate	Not established	Not established	Not established	Not established
polyethylene glycol	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium percarbonate	Not irritant	Rabbit	Method not given	
alkyl alcohol alkoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
disodium disilicate	Irritant		Method not given	
disodium trisilicate	Irritant		Method not given	
polyethylene glycol	Not irritant	Rabbit	OECD 404 (EU B.4)	
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
alkyl alcohol alkoxylate	Not corrosive or irritant	Rabbit	Draize test	
disodium disilicate	Severe damage		Method not given	

Neutral Professional Classic Tablets

disodium trisilicate	Severe damage Irritant		Method not given	
polyethylene glycol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
alkyl alcohol alkoxylate	No data available			
disodium disilicate	Irritating to respiratory tract		Method not given	
disodium trisilicate	Irritating to respiratory tract		Method not given	
polyethylene glycol	No data available			
subtilisin	Irritating to respiratory tract			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl alcohol alkoxylate	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
disodium disilicate	Not sensitising		Method not given	
disodium trisilicate	Not sensitising		Method not given	
polyethylene glycol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
subtilisin	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	No data available			
alkyl alcohol alkoxylate	No data available			
disodium disilicate	No data available			
disodium trisilicate	No data available			
polyethylene glycol	No data available			
subtilisin	Sensitising		Weight of evidence	Not applicable.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium percarbonate	No data available		No data available	
alkyl alcohol alkoxylate	No data available		No data available	
disodium disilicate	No evidence for mutagenicity, negative test results		No data available	
disodium trisilicate	No evidence for mutagenicity, negative test results		No data available	
polyethylene glycol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
subtilisin	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium percarbonate	No data available
alkyl alcohol alkoxylate	No data available
disodium disilicate	No evidence for carcinogenicity, negative test results
disodium trisilicate	No evidence for carcinogenicity, negative test results
polyethylene glycol	No data available

Neutral Professional Classic Tablets

subtilisin	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium percarbonate			No data available				
alkyl alcohol alkoxylate			No data available				
disodium disilicate			No data available				No evidence for reproductive toxicity
disodium trisilicate			No data available				No evidence for reproductive toxicity
polyethylene glycol			No data available				
subtilisin			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
alkyl alcohol alkoxylate		No data available				
disodium disilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
disodium trisilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
polyethylene glycol		No data available				
subtilisin		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
alkyl alcohol alkoxylate		No data available				
disodium disilicate		No data available				
disodium trisilicate		No data available				
polyethylene glycol		No data available				
subtilisin		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
alkyl alcohol alkoxylate		No data available				
disodium disilicate		No data available				
disodium trisilicate		No data available				
polyethylene glycol		No data available				
subtilisin		No data available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
---------------	----------	----------	-------	---------	--------	----------	----------------------	--------

Neutral Professional Classic Tablets

	route		(mg/kg bw/d)			time	organs affected	
sodium carbonate			No data available					
sodium percarbonate			No data available					
alkyl alcohol alkoxylate			No data available					
disodium disilicate			No data available					
disodium trisilicate			No data available					
polyethylene glycol			No data available					
subtilisin			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium percarbonate	No data available
alkyl alcohol alkoxylate	No data available
disodium disilicate	No data available
disodium trisilicate	No data available
polyethylene glycol	No data available
subtilisin	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium percarbonate	No data available
alkyl alcohol alkoxylate	No data available
disodium disilicate	Not applicable
disodium trisilicate	Not applicable
polyethylene glycol	No data available
subtilisin	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

Ingredient(s)	Effect
sodium carbonate	No data available
sodium percarbonate	No data available
alkyl alcohol alkoxylate	No data available
disodium disilicate	No data available
disodium trisilicate	No data available
polyethylene glycol	No data available
subtilisin	No data available

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC ₅₀	300	<i>Lepomis macrochirus</i>	Method not given	96

Neutral Professional Classic Tablets

sodium percarbonate	LC ₅₀	70.7	<i>Pimephales promelas</i>	Method not given	96
alkyl alcohol alkoxylate	LC ₅₀	> 1- 10	<i>Leuciscus idus</i>	DIN 38412, Part 15	48
disodium disilicate	LC ₅₀	1108	<i>Brachydanio rerio</i>	Method not given	96
disodium trisilicate	LC ₅₀	260 - 310	<i>Brachydanio rerio</i> <i>Oncorhynchus mykiss</i>	Method not given	96
polyethylene glycol	LC ₅₀	> 100	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
subtilisin	LC ₅₀	8.2	<i>Fish</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC ₅₀	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium percarbonate	EC ₅₀	4.9	<i>Daphnia pulex</i>	Method not given	48
alkyl alcohol alkoxylate	EC ₅₀	> 1-10	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	24
disodium disilicate	EC ₅₀	1700	<i>Daphnia magna Straus</i>	Method not given	48
disodium trisilicate	EC ₅₀	1700	<i>Daphnia magna Straus</i>	Method not given OECD 202, static	48
polyethylene glycol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
subtilisin	EC ₅₀	0.586	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC ₅₀	> 800	<i>Selenastrum capricornutum</i>		72
sodium percarbonate	EC ₅₀	2.5	<i>Chlorella vulgaris</i>	Read across	
alkyl alcohol alkoxylate	EC ₅₀	> 1-10	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
disodium disilicate	EC ₅₀	207	<i>Desmodesmus subspicatus</i>	Method not given	72
disodium trisilicate	EC ₅₀	207	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
polyethylene glycol	LC ₅₀	> 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
subtilisin	E _r C ₅₀	0.830	<i>Not specified</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium percarbonate		No data available			
alkyl alcohol alkoxylate		No data available			
disodium disilicate		No data available			
disodium trisilicate		No data available			
polyethylene glycol		No data available			
subtilisin		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium percarbonate	EC ₅₀	466	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
alkyl alcohol alkoxylate	EC ₅₀	> 100	<i>Pseudomonas putida</i>	OECD 209	
disodium disilicate		No data available			
disodium trisilicate		No data available			
polyethylene glycol		No data available			

Neutral Professional Classic Tablets

subtilisin		No data available			
------------	--	-------------------	--	--	--

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	7.4	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
alkyl alcohol alkoxylate		No data available				
disodium disilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
disodium trisilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
polyethylene glycol		No data available				
subtilisin		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	2	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
alkyl alcohol alkoxylate		No data available				
disodium disilicate		No data available				
disodium trisilicate		No data available				
polyethylene glycol		No data available				
subtilisin		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
sodium percarbonate		No data available				
alkyl alcohol alkoxylate		No data available				
disodium disilicate		No data available				
disodium trisilicate		No data available				
polyethylene glycol		No data available				
subtilisin		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
---------------	----------	-------	---------	--------	----------------------	------------------

Neutral Professional Classic Tablets

sodium carbonate		No data available				
------------------	--	-------------------	--	--	--	--

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
alkyl alcohol alkoxylate			> 60% in 28 day(s)	OECD 301F	Readily biodegradable
disodium disilicate					Not applicable (inorganic substance)
disodium trisilicate					Not applicable (inorganic substance)
polyethylene glycol		Oxygen depletion	> 70 % in 21 day(s)	OECD 301A	Readily biodegradable
subtilisin				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium carbonate					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium percarbonate	No data available			
alkyl alcohol alkoxylate	No data available			
disodium disilicate	No data available		Low potential for bioaccumulation	
disodium trisilicate	No data available		Low potential for bioaccumulation Not relevant, does not bioaccumulate	
polyethylene glycol	No data available			

Neutral Professional Classic Tablets

subtilisin	< 0		
------------	-----	--	--

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium percarbonate	No data available				
alkyl alcohol alkoxylate	No data available				
disodium disilicate	No data available				
disodium trisilicate	No data available				
polyethylene glycol	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium percarbonate	No data available				High potential for mobility in soil
alkyl alcohol alkoxylate	No data available				
disodium disilicate	No data available				
disodium trisilicate	No data available				
polyethylene glycol	No data available				
subtilisin	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

Ingredient(s)	Effect
sodium carbonate	No data available
sodium percarbonate	No data available
alkyl alcohol alkoxylate	No data available
disodium disilicate	No data available
disodium trisilicate	No data available
polyethylene glycol	No data available
subtilisin	No data available

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EU) 2019/1148 - Explosive Precursors
- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

oxygen-based bleaching agents	5 - 15 %
polycarboxylates, non-ionic surfactants	< 5 %
enzymes	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

Pr.nr: 4619805

National regulations

Produktet er omfattet af krav om udarbejdelse af arbejdspladsbrugsanvisning (Arbejdstilsynets bekendtgørelse nr. 292 af 26. april 2001 med senere ændringer om arbejde med stoffer og materialer).

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1006639

Version: 01.0

Revision: 2025-11-14

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H272 - May intensify fire; oxidiser.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.

Neutral Professional Classic Tablets

- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet