

DATASHEET

CEMO Battery charging cabinet 8/10 400 V, Basic, with feet

Order number: 12115

DESCRIPTION

- fireproof and explosion-proof cabinet, specifically designed for the storage and charging of lithium-ion batteries
- Basic model
- standardised battery fire test in compliance with VDMA Standard Sheet 24994:2024-08, section 4.3 (Link to test report)
- safe storage and charging of lithium-ion batteries with a total capacity of up to 6 kWh – ideal for applications with high energy consumption
- maximum safety in the event of fire: can withstand a battery fire and prevents flames and sparks from escaping
- modular system that can be combined and stacked with other models of the lockEX series for optimum flexibility and expansion capability
- patented lockEX pressure relief system
- Shelves that prevent propagation of fire between other shelves
- cost-effective entry-level model – a low-cost solution that focuses on the essentials
- includes connection for an exhaust system (DN 100 mm)



lockEX[®]
inside

TECHNICAL DATA

External dimensions (h)	66 x 80 x 111 cm
Internal dimensions per cabinet module (h)	53 x 73 x 91 cm
Weight	146 kg

TÜV Nord Certification	44 780 23136701
Installation Location	indoor
Material	non-combustible building material
Coating	HPL (high pressure laminate)
Container Colour	grey
Door Colour	orange
Door Model	double hinged doors
Operating Voltage	400 V
Maximum power	2 x 3500 W (16 A)
Frequency	50/60 Hz
Fan Noise Level	33
Permissible Energy	6320 Wh
Load Capacity per Storage Level	30 kg / Level
Stackable	2-high
Forkliftable	yes
Permissible Energy Per Storage Level	1580 Wh
Warranty in years	2
Assembly condition	mounted
Plug	CEE 16 A

EQUIPMENT

Feet/Castors	with stacking feet
Number of Doors	2
Lock Type	T-handle with 2 point locking
Mechanical Ventilation	yes
Door Contact Switch	yes
Number of Power Sockets	2x9
Storage Levels	4
Number of Shelves	3
Shelf Material	powder-coated steel
Smoke Detector	battery-powered
Temperature Detection	thermal fuse
Warning Signal	<p>audible</p>

SUITABLE MEDIA

Lithium Batteries

LOGISTICS

Package dimensions (lwxhxh)	120 x 80 x 126 cm
Pallet Dimensions	120 x 80 x 126 cm
Package Weight	168 kg
Freight	General cargo

APPROVAL



ACCESSORIES



11345 - Fireproof
cable entry

11561 -

[Link to product](#)

