

DATASHEET

Battery safety cabinet PROline 6/20 door left in orange RAL 2008

Order number: 11959



TECHNICAL DATA

Collection volume	33 l
External dimensions (h)	64 x 60 x 195 cm
Internal dimensions (h)	49 x 49 x 200 cm
Weight	265 kg
Fire Resistance	F90
Installation Location	indoor
Material	non-combustible building material
Coating	uncoated
Container Colour	grey
Door Colour	orange
Door Model	<p>left-opening door</p>
Load Capacity per Storage Level	300 kg
Stackable	no

Forkliftable yes

EQUIPMENT

Feet/Castors	with feet
Number of Doors	1
Lock Type	self-closing, 2-point locking
Mechanical Ventilation	-
Number of Power Sockets	-
Storage Levels	4
Number of Shelves	3
Shelf Material	powder-coated steel
Smoke Detector	battery-powered
Warning Signal	<p>audible</p>
Internal Volt-Free Contact	no
Number of Bottom Bunds	1

SUITABLE MEDIA

Lithium Batteries

LOGISTICS

Package dimensions (lxwxh)	67 x 66 x 197 cm
Pallet Dimensions	80 x 120 x 211 cm
Package Weight	285 kg
Freight	General cargo

APPROVAL

DIN/EN Approval	EN 14470-1
-----------------	------------

ACCESSORIES



8739 - Extraction system with fan and air flow monitoring



10963 - Recirculation fan SST UL with adapter SST-P for type FWF90



11431 - Radial fan 230 V (model 1)



11432 - Radial fan 230 V (model 2)



11433 - Radial fan 380 V (model 3)



11884 - Cable duct 6/20 and 12/20 (in cabinet ceiling, for self-assembly)



11912 - Additional floor plate 6/20



11993 - Additional floor 6/20, stainless steel, for PROline 6/20



12074 - Accessory Pack for active storage for PROline 6/20 and 12/20



12077 - Spare key for PROline

[Link to product](#)

