Soneo 30 Floor Screen

Firmly focused on room acoustics, Soneo is a series of highly functional freestanding and desk-mounted screens that comes into their own in challenging acoustic conditions.

The screens provide an effective means of creating a pleasant working environment by lowering noise levels and enhancing privacy. They can also be equipped with inconspicuous storage accessories made of transparent acrylic, making it easier to keep desks orderly and free of clutter.

Product range:

Floor Screens

Product description: A leg set is not included in the product, but in this material description a standard choice for legs is also included.



Acoustic qualities:



Absorption Attenuation

Dimensions available (WxHxD mm):

800x1360x301000x1360x301200x1360x30800x1500x301000x1500x301200x1500x30800x1700x301000x1700x301200x1700x30

Material	Specification	Weight (kg)	Share (%)
Wood	Solid pine frame	4.66	57.9
Polyester	Acoustic polyester	1.28	15.9
Upholstery ³	Wool or polyester upholstery	1.19	14.7
Aluminium	Leg set	0.70	8.7
Adhesive	Water-based wood glue	0.11	1.4
Plastic	Lamination	0.08	0.9
Steel	Connections	0.04	0.5
Total		8.05	
Packaging - Cardboard	Boxes	1.50	
Packaging – Other	Paper tape	0.01	

Content^{1,2}:

¹ Soneo 30 Floor Screen 800x1500x30

² Weights may vary

 $^{\rm 3}\,{\rm Choose}$ from a wide range of textiles and colours

abstracta

Tests and standards

Acoustics

Absorption ISO 20189: N₁₀=7.7¹

¹ Soneo 30 Floor Screen 800x1500x30 Flame resistance

EN 1021-1 & 2: Pass¹

¹Focus Melange

Quality

EN 1023-1: No eye contact in the sitting position: Height ≥ 1400 mm EN 1023-2: Pass EN 1023-3: Pass

Sustainability

As a part of our sustainability work, we are certified according to following standards and quality labels:



ISO 9001, ISO 14001 & ISO 45001

Management systems for quality, environment, and occupational health and safety.

We and our suppliers need to commit to Lammhults Design Group's Code of Conduct.



Möbelfakta

This product has been declared and approved to criteria of Möbelfakta:

Quality: This piece of furniture must meet established international technical standards

Environment: All stages of the manufacturing process must be green, from raw materials to finished product.

Responsible supply chains: All stakeholders in the supply chain take social, environmental, and ethical responsibility.

abstracta

Lightfastness

EN ISO 105-B02: 5-71,2

¹Focus Melange ²Depends on color choice

Emissions

EN ISO 16000-3 & -6:

- TVOC Pass
- Formaldehyde Pass
- CMR 1A+1B Pass
- Single VOC (µg/m3) Pass

Free from added flame-retardant chemicals as standard.



EPD

An EPD is available for the product. The EPD has been third-party reviewed and is published at EPD Norway. The results of the EPD shows that a Soneo 30 Floor Screen 800x1500x30 releases 62.76 kg CO_{2e} from Cradle-to-Gate. The full EPD, where the results of other variants of Soneo 30 Floor Screen also can be seen, is available here: <u>EPD - Soneo 30 Floor Screen</u>.

acoustic facts

Acoustic facts

The impact of our acoustic products is presented at acousticfacts.com, where products can be compared in an objective way. This ensures that all technical data is accurate and meets international, European, and Swedish standards.

> Abstracta AB Box 75, SE-363 03 Lammhult, Sweden Phone +46 472 26 96 00 info@abstracta.se

Abstracta's reuse service

We offer a recycling service for our customers. This means that we collect used sound absorbers and other products for renovation, reuse or recycling. To facilitate circularity, our products consist of exchangeable parts, which simplifies repair, reuse and recycling. Contact our sales support team for more information.

5-year warranty and 10-year spare parts warranty.

Global Goals

The UN Sustainable Development Goals are the basis of our environmental work. We focus on the five goals to which we can contribute most.

Goal # 3 - Good health and well-being

Goal # 5 – Gender equality

Goal # 8 – Decent work and economic growth

Goal # 12 – Responsible consumption and production

Goal # 15 – Life on land

Visit the product page for more information: <u>Soneo Floor Screen - Abstracta</u>

Care instructions

Fabric

To maintain the color and appearance of the fabric, it should be vacuum cleaned regularly with a soft nozzle.

Stain Removal for Polyester:

- Use colorless towel or a washcloth to absorb as much as possible of stillmoist stain. Dried stains should be vacuumed.
- Wet the stain sparingly with a white pure cotton cloth, warm water and possibly a little pH-neutral cleaner.
- Dab the area with a dry cloth or colorless paper towel to absorb the moisture and stain.
- Repeat this process until the stain is gone.
- On the final repetition, use only clean water with no detergent added.
- Finish by dabbing up moisture with a dry cloth or paper towel.

Stain Removal for wool: Dab or wipe gently with a damp cloth.

abstracta

Abstracta AB Box 75, SE-363 03 Lammhult, Sweden Phone +46 472 26 96 00 info@abstracta.se